INVITATION TO BID



CATOOSA COUNTY GOVERNMENT PROJECTS ADMINISTRATION DEPARTMENT 800 LAFAYETTE STREET RINGGOLD, GEORGIA

ITB# CCPW 2020-18

ITEM: TWO (2) Dodge RAM 2500 Tradesman, Regular Cab, 4WD, w/Service Body

OPENING DATE: September 17, 2020

TIME: 2:30 pm (Local Time)

2021 OR CURRENT PRODUCTION MODEL – RAM 2500 TRADESMAN REGULAR CAB W/SERVICE BODY OR EQUAL. – QTY TO PURCHASE TWO (2)

SPECIFICATIONS

The purpose of this specification is to describe a new Chassis Cab with service body as described. The Chassis Cab should be a Ram 2500 Regular Cab or equal. The use of the brand names does not indicate a preference for that brand. It is to establish a level of quality, function and reliability. Vehicle should be delivered complete and ready to operate.

		Bidder's Response
1.	Color: White	
2.	Vinyl Seats – Grey 40/20/40 Split Bench	
3.	6.4 Liter V8 Gasoline Engine	
4.	8 Speed Automatic Transmission	
5.	Four Wheel Drive, Electric shift on the fly Transfer Case	
6.	3.73 Axle Ratio	
7.	Anti-Spin Differential Rear Axle	
8.	Power Windows, Locks, and Mirrors	
9.	Instrument Panel Mounted Auxiliary Switches	
10.	18" Steel Wheels	
11.	LT 275/70/18 All Terrain Tires, with full size spare Tire	
12.	Trailer Brake Controller	
13.	12 Volt Auxiliary power outlet	
14.	AM/FM Radio, with Bluetooth	
15.	Black vinyl floor covering w/Rubber Floor Mats	
16.	Cab to Axle should be 60"	
17.	ACARI (RTM-101-LP-Make) Light Bar Mount	
18.	Whelen 23" Mini Light Bar (MC23P)	
19.	All Standard equipment to be included unless enhanced by optional equipment	

SERVICE BODY

SPECIFICATIONS

The purpose of this specification is to describe a service body that is to be mounted on the chassis specified. The service body to be provided should be a Warner Service Body. Model#WS298-M-SW-G or equal. The use of the brand does not indicate a preference for that brand. It is intended to establish a level of quality, function and reliability.

		Bidder's Response
1.	"V" Layout consist of (2) full height vertical compartments each side and (1) horizontal compartment each side. Stainless steel paddle latches with white tailgate and white punched bumper.	
2.	Back up alarm	
3.	Factory back up camera	
4.	Class 5 Receiver Hitch	
5.	Spray Bed liner- 1/8" thick graphite gray coating should be applied to the inner floor, side walls, bulkhead and compartment tops.	
6.	Truck should be equipped with a 2" ball and pintle hitch combo	
7.	Trailer plug for 7-way blade and 4 way flat to be provided.	